

THE NUMBER ONE SELLING DRY VAN TRAILER IN NORTH AMERICA.

Hyundai Translead has been a leader in dry van manufacturing excellence and quality standards since 1994. Built with superior durability, an anti-corrosion package, and your productivity in mind, we pack a ton of value into each dry freight trailer we build.

Every model can be customized to fit your unique business needs. Which is why Hyundai Translead has quickly become one of the most respected names in the cargo transportation industry. So no matter where you want your business to go, you can feel confident knowing that you have the best-selling dry van trailer on the road to help you get there.



SUPERIOR CUSTOMIZATION

MOST CUSTOMIZABLE TRAILER TO FIT ANY **BUSINESS NEED**



#1 TRAILER

BEST SELLING DRY VAN TRAILER IN NORTH AMERICA



WATERTIGHT



WATER RESISTANT ISO 9001 HYUNDAI TRANSLEAD TRAILERS ARE

CERTIFIED SINCE 1994 AND RECERTIFIED EVERY YEAR





MANUFACTURING EXCELLENCE ONLY HYUNDAI TRANSLEAD CAN DELIVER.

Quality and consistency are what truly set us apart. Our state of the art manufacturing process makes our production highly precise, and that is one of the reasons why Hyundai Translead is the number one dry van trailer manufacturer in North America. As the first ISO 9001 certified manufacturer since 1994, we've set unparalleled high standards in manufacturing. Our commitment to excellence continues to improve our operation, expand our technology, and innovate for customers. Keeping our trailers on the road and your business moving forward is the fabric of our culture.

STANDARD HOT-DIP GALVANIZED COMPONENTS INCLUDE:

- Upper Coupler
- Slider Rail
- Steel Crossmembers
- Landing Gear, K-Brace, and Mounting Bracket
- Rear Frame and Impact Guard
 - Turn Signal Brackets
 - Threshold Plate

HT ORIGINAL®



DRIVEN BY THE DESIRE TO CREATE A TRAILER TO FIT MANY OPERATIONS. CAN BE CUSTOM BUILT TO MEET THE SPECIFIC NEEDS OF YOUR OPERATION.



Plywood is installed horizontally over the side posts full length of the trailer and over the front wall.

PRODUCT SPECIFICATIONS: HT ORIGINAL®		
Length	Exterior: 53' O"	Interior: 52' 6"
Width	Exterior: 102.36"	Interior: 99" lining-to-lining
Height	Exterior: 13' 6"	Interior: 110"
Capacity	68,000 GVWR	3,970 cu. ft. interior volume
Tare Wt.	13,550 lbs	

STANDARD FEATURES INCLUDE:

- Inside height and rear door opening height of 110"
- Sealed wiring harness with internal ground
- Water and debris resistant tail light housing
- Easy operating door lock rods with rubber handle grips for operator comfort and safety
- Computer controlled machine riveting of sides and roof

HT HY-CUBE®



OUR BEST-SELLING TRAILER. OFFERS A GREATER INTERIOR WIDTH OF 101" AND UP TO 4,050 CUBIC FEET OF INTERIOR LOAD CAPACITY.



Recycled, high impact resistant white HDPE panels between slotted logistic posts snap in for ease of repair. The white panels also brighten the trailer interior for better visibility.

PRODUCT SPECIFICATIONS: HT HY-CUBE®		
Exterior: 53' O"	Interior: 52' 6"	
Exterior: 102.36"	Interior: 101" lining-to-lining	
Exterior: 13' 6"	Interior: 110"	
68,000 GVWR	4,050 cu. ft. interior volume	
13,900 lbs		
	Exterior: 53' 0" Exterior: 102.36" Exterior: 13' 6" 68,000 GVWR	

HT COMPOSITE®



DURABLE, COMPOSITE PLATE SIDE WALLS DESIGNED FOR QUICK AND EASY REPAIR OR REPLACEMENT, RESULTING IN LESS DOWNTIME AND INCREASED UTILIZATION.



The patented sidewall configuration allows for improved overall stiffness of the assembly and allows for easier maintenance. The smooth interior sidewalls reduce possible snag point in the trailer for greater freight protection.

PRODUCT SPECIFICATIONS: HT COMPOSITE®		
Length	Exterior: 53' O"	Interior: 52' 6"
Width	Exterior: 102.36"	Interior: 101.5" at floor
Height	Exterior: 13' 6"	Interior: 110" front to back
Capacity	68,000 GVWR	4,095 cu. ft. interior volume
Door Opening	110" Height	99" Width
Tare Wt.	13,750 lbs	

HT COMPOSITE XT[®]



USES THE PATENTED DESIGNS OF THE HT PLATE[®] TRAILER WITH THE EASE OF REPAIRABILITY NOT SEEN IN MOST OTHER COMPOSITE TRAILER DESIGNS.



The bottom rail/integral scuff band has a centrally located external rib for increased stiffness and scrape resistance. The 16" integral scuff offers a smooth surface to prevent freight snagging and ribbed protection against pallet damage to the sidewall rivets as well as adding strength to the trailer body.

PRODUCT SPECIFICATIONS: HT COMPOSITE XT®		
Length	Exterior: 53' O"	Interior: 52' 6"
Width	Exterior: 102.36"	Interior: 101.5" at floor
Height	Exterior: 13' 6"	Interior: 110" front to back
Capacity	68,000 GVWR	4,095 cu. ft. interior volume
Door Opening	110" Height	99" Width
Tare Wt.	13,850 lbs	

AT HYUNDAI TRANSLEAD, CUSTOMIZATION COMES STANDARD.

Many of the biggest names in retail, transportation, and e-commerce look to Hyundai Translead for our ability to deliver highly customized trailers that meet their specific cargo needs. All of our trailers can be fully customized with a variety of innovative options and configurations, providing increased productivity and lower ownership costs over the long haul. If we don't already have a solution, we will strive to develop one tailored to you.

OPTIONS	DESCRIPTION
Interior Lighting	For interior visibility – Skylights, Dome-lights, and Translucent Roofs are available from various manufacturers.
EcoFairing Side Skirt	Hyundai Translead offers the HT EcoFairing aerodynamic side skirt which meets US EPA SmartWay and California Air Resource Board requirements for greater than 5% fuel savings.
Liftgate Factory Install	Liftgates can be factory installed so that your trailer is ready for use when you need it.
Tire Inflation Systems	To assist in achieving greater fuel savings, tire inflation systems can be installed at the factory.
Side Doors (HT Original® Only)	For those operations that need them – the HT Original [®] model can be configured with side doors. Steps and lifts are also available from various manufacturers for factory installation.
Decal Factory Install	All decal installers are 3M Certified, and they install on the production with state of the art heating and adhesion equipment.
Interior Decking and Cargo Restraints	For operations requiring decking and cargo restraints – Roller Floors, Captive Beam systems, and logistical restraints are available.
Interior Lining and Scuff	Various lining and scuff options available to meet customer requirements of weight, durability, and internal width.
Heavy Duty Operations	For heavy duty operations, multiple axles, lift axles, paper haul, and automotive specifications are available.





HEADQUARTERS: 8880 Rio San Diego Dr., Suite 600 San Diego, CA 92108 800.251.0871 FOR MORE INFORMATION, VISIT: **HyundaiTranslead.com**

Trailer specifications are accurate at the time of publication, and are subject to change without notice.