



HYUNDAI
Translead



**REFRIGERATED TRAILERS
DESIGNED TO HELP KEEP YOUR
BUSINESS OUT IN FRONT.**

NEW AND ENHANCED. DURABLE. LIGHTWEIGHT. THERMALLY EFFICIENT.

New and improved HT ThermoTech® Refrigerated Trailers capitalize on the world-class automotive and manufacturing expertise of the Hyundai Motor Group to produce one of the most durable refrigerated trailers on the road today.

Our state of the art, highly automated plants have revolutionized the trailer manufacturing industry by setting a

higher standard in quality and value.

New design and process enhancements have made our refrigerated trailers more durable, lighter weight, and more thermally efficient than ever before. All models come standard with hot-dipped galvanization and can be fully-customized to meet your business needs, providing increased productivity and lower ownership costs for the long haul.



GREATER DURABILITY
AUTOMATED DRILLING
FOR GREATER FLOOR
STRENGTH



LIGHTER WEIGHT
REDUCED WEIGHT
BY 600 LBS



THERMALLY EFFICIENT
NO EXPOSED FASTENERS
TO PREVENT MOISTURE
INTRUSION



ISO 9001
CERTIFIED SINCE 1994
AND RECERTIFIED
EVERY YEAR



HT THERMOTEC® STANDARD FEATURES



HT THERMOTEC® TL

Designed for the truckload carrier segment, a lighter weight and stronger component construction increases productivity and lowers ownership costs.

HT THERMOTEC® MC

The maximum cubic refrigerated trailer on the road today. A nominal interior height of 108" provides greater cubic capacity for greater productivity.

HT THERMOTEC® SP

Made specifically for the grocery, dairy, and food distribution markets. Can be fully-customized with multiple side doors, liftgates, and multi-temp configurations.

▲ EXTENSIVE OPTIONS

HYUNDAI TRANSLEAD IS THE ONLY MANUFACTURER TO OFFER AN ANTI-CORROSION PACKAGE WITH HOT-DIPPED GALVANIZATION AS A STANDARD FEATURE ON ALL OF OUR REFRIGERATED TRAILERS.

PRODUCT SPECIFICATIONS: ALL HT THERMOTEC®

Length	Exterior: 53' 0"	Interior: 52' 2"
Width	Exterior: 102.36"	Interior: 97.4"
Height	Exterior: 13' 6"	Interior: 105.5"
Capacity	68,000 GVWR	3,722 cu. ft. interior volume
Lining	PolarX PP050	
Tare Wt.	12,100 lbs	

STANDARD HOT-DIP GALVANIZED COMPONENTS INCLUDE:

- Upper Coupler
- Slider Rail
- Steel Crossmembers
- Landing Gear, K-Brace, and Mounting Bracket
- Impact Guard
- Turn Signal Brackets

STANDARD FEATURES:

- Aluminum roof bows and side posts
- Glass reinforced polypropylene 0.065" liner on sides, front doors, and ceiling
- Glass reinforced polypropylene sub floor 0.030" thickness
- Aluminum duct floor, 1-1/4" thick, 16,000 lb rating
- Water and debris resistant tail light housing
- Composite floor sills
- Stainless steel rear frame



A SIDE WALL PRESS



B RIG 30

AT HYUNDAI TRANSLAD, CUSTOMIZATION COMES STANDARD.



C AUTOMATED DRILLING



D MIG WELDING



E ROOF CORRUGATION

OPTIONS	DESCRIPTION
Scuff Options	Additional scuff options available in aluminum, plastic, or steel to fit your operations.
EcoFairing Side Skirt	Hyundai Translead offers the HT EcoFairing aerodynamic side skirt which meets US EPA SmartWay and California Air Resource Board requirements for greater than 5% fuel savings.
Liftgate Factory Install	Liftgates can be factory installed so that your trailer is ready for use when you need it.
Roll Up Doors	Roll up doors available from various manufacturers.
Tire Inflation Systems	To assist in achieving greater fuel savings, tire inflation systems can be installed at the factory.
Dome Lamps	For increased visibility, interior and exterior dome lamps are available in custom locations.
Wide Base Tires	Wide base tires from various manufacturers are available to meet both US EPA SmartWay and California Air Resource Board requirements.
Rear Door and Frame Options	Hyundai Translead can configure the rear of your trailer to meet your specific operational needs. From pintle hook and side steps to additional tail lights, we can build what you need.
Side Doors	For those operations that need them, the HT ThermoTech® SP model can be configured with side doors. Steps and lifts are also available for factory installation.
Multi-Temp Configurations	Multi-temp configurations available for those who need controlled temperatures in different compartments of the trailer.

Many of the biggest names in retail, transportation, and e-commerce look to Hyundai Translead for our ability to deliver highly customized trailers that meet their specific cargo needs. All HT ThermoTech® Refrigerated Trailers can be fully customized with a variety of innovative options and configurations, providing increased productivity and lower ownership costs over the long haul. If we don't already have a solution, we will strive to develop one tailored for you.

Trailer specifications are accurate at the time of publication, and are subject to change without notice.



HEADQUARTERS:
8880 Rio San Diego Dr., Suite 600
San Diego, CA 92108
800.251.0871

FOR MORE INFORMATION, VISIT:
HyundaiTranslead.com